

Air Program Acronyms

SBCA-GEN2-0107

Government agencies seem to get buried in the acronyms they create to shorten many long phrases that are frequently used. Using acronyms can make it seem like the Wisconsin Department of Natural Resources' (DNR's) staff are speaking another language. This is a short translation guide to frequently used DNR Air Program acronyms.

Acronym	Full Phrase or Name	Brief Description
AAC	Acceptable Ambient Concentration	Used in ch. NR 445
		compliance demonstration
ACFM	Actual Cubic Feet per Minute	Measure of air/exhaust flow
ACM	Asbestos Containing Material	Material with more than 1%
		asbestos
AEI	Air Emissions Inventory	See El. Also, AEMS and CRS.
AEMS	Air Emissions Management System	First electronic system created to
		collect reporting of annual air
		emissions and charge fees.
AM/7	Air Management Program - DNR	Air Program's internal mailing code
AQCR	Air Quality Control Region	Area designated for ambient air
		quality standards demonstrations
AQMD	Air Quality Management District	Area designated for ambient air
		quality standards demonstrations
AWMA	Air & Waste Management Association	Non-profit, non-partisan profes-
		sional organization for those
		working with Air and Waste
		regulations
BACT	Best Available Control Technology	For new source review under PSD
		or for NR 445 compliance
BTU	British Thermal Unit	Measure of heating capacity for
		boilers and other heating units
CAA	Clean Air Act	Federal rule that gives states
		authority for many of the air
		pollution control rules
CAAA	Clean Air Act Amendments of 1990	Amendments designed to curb
		major threats to environment and
		human health: acid rain, urban air
		pollution, and toxic air emissions
CAS	Chemical Abstract Service number	System classifying chemical
		compounds, unique for each one
CAATF	Clean Air Act Task Force	Group of stakeholders meet with DNR's
		Air Program to provide industry input on
		Program activities
CEA	Bureau of Cooperative Environmental	DNR program coordinating performance-
	Assistance	based innovative compliance programs
CEM	Continuous Emission Monitoring	Equipment that can monitor an
		emissions point continuously
CEMS	Continuous Emissions Monitoring System	
CFCs	Chlorofluorocarbons	Ozone depleting substance
CFM	Cubic Feet/Minute	Measure of air/exhaust flow



Acronym	Full Phrase or Name	Brief Description
CO	Carbon Monoxide	A criteria pollutant, generated by fossil fuel combustion
(OR)	Central Office	DNR abbreviation for downtown Madison office
CO ₂	Carbon Dioxide	Green house gas, not regulated yet
CRS	Consolidated Reporting System	Electronic reporting done annually of air emissions
		(aka AEI, EI and AEMS) and hazardous waste.
DSCF	Dry Standard Cubic Foot	Unit of measure for air/exhaust flow
EA	Environmental Analysis or	Review of endangered species and other environmental
	Environmental Assessment	affects caused by new construction, required prior
		to beginning construction of new industrial business
EF	Emission Factor	Unit used to help calculate emissions from a specific
	Facination Inventory	process or emissions unit
El	Emission Inventory	System to record annual emissions and charge fees from
EIS	Environmental Impact Statement	each industrial facility that has air emissions
EIS	Environmental Impact Statement	Analysis done for a new project to determine the level of environmental impact it will have on issues like
		endangered species of plants or animals
EMS	Environmental Management System	System developed by a business to assess and monitor
LIVIO	Environmental Management Gystem	their environmental aspects and impacts, with a goal to
		reducing the impacts under plan, do, check, act process
EPA	Environmental Protection Agency	Federal bureau that regulates pollution
ERC	Emission Reduction Credit	Credits for voluntary emissions reductions, must be
		permanent and enforceable (written in permit)
FESOP	Federally Enforceable State Operation Permit	Permit for sources that have potential to emit greater than
		major source levels, but actual emissions below and are
		willing to take permit limits to avoid major source status
FID	Facility Identification Number	Nine-digit number used by WDNR to identify each facility
FIP	Federal Implementation Plan	EPA can issue if WDNR does not create programs
-		that adequately meet the Clean Air Act
FOP	Federal Operations Permit	Permit issued to major sources under Title V of CAA
GACT	Generally Available Control Technology	National emissions standard for hazardous air pollutants
		set to a level of control that is general available to the
OED	0 15 :	regulated industry sector
GEP	Good Engineering Practice (i.e. stack height)	In reference to a key stack height for modeling a facility
GOP	General Operation Permit	Permit issued to a whole source category (i.e. rock
Cr	Grain	crushers or dry cleaners) that are very similar
Gr HAP	Hazardous Air Pollutants	Measure equal to 1/7000 pound Pollutants defined by EPA or WDNR to have chronic or
HAF	Hazardous Ali Politiants	acute toxic or carcinogenic affects on humans
HC	Hydrocarbons	Any compounds with hydrogen and carbon components
HCFC	Hydrochlorofluorocarbons	Ozone depleting substance
LACT	Latest Available Control Techniques	Regulation in ch. NR 424, Wis. Adm. Code, to reduce
2, (0).	(and operating practices)	organic compound emissions from process lines
LAER	Lowest Achievable Emission Rate	Highest control level for carcinogens in state HAP rules or
		in nonattainment area new source review permitting
LEPC	Local Emergency Planning Committee	RMP are sent to this group for overall planning
LON	Letter of Noncompliance	A letter that may be sent prior to NOV, as initial contact
		to determine if violation occurred
MACT	Maximum Achievable Control Technology	Federal standard for reducing HAP emissions
MOA	Memorandum of Agreement	Used to create written plans of action between two
		agencies (ie, federal and state or two state)
MOU	Memorandum of Understanding	Similar to MOA
MSDS	Material Safety Data Sheet	Technical documentation on make up and safety
		precautions for materials, provided by manufacturers
MTBE	Methyl tertiary butyl ether	RfG found to cause water pollution and removed from
NATE	Marchael Thomas Control 1	requirements to be used for air emissions reductions
MTE	Maximum Theoretical Emissions	Emission rate from facility when operated at full design
		capacity for 24 hr/day, 365 day/yr and without control
		device operation taken into account

Acronym	Full Phrase or Name	Brief Description
NAAQS	National Ambient Air Quality Standards	Standards established by EPA for criteria pollutants at levels determined to be of human health concern
NAICS	North American Industry Classification System	Codes developed jointly by the U.S., Canada, and Mexico to provide new comparability in statistics about business activity across North America.
NESHAPS	National Emission Standards for Hazardous Air Pollutant Sources	Standards were established for specific HAPs to reduce emissions (vinyl chloride, beryllium, asbestos, etc.) - now MACT are NESHAPs
NER	DNR's Northeast Region	DNR Service Area includes counties: Brown, Calumet, Door, Fond du Lac, Green Lake, Kewaunee, Manitowoc, Marinette, Marquette, Menominee, Oconto, Outagamie, Shawano, Waupaca, Winnebago, Waushara
NMHC	Non-methane Hydrocarbons	Methane is not regulated, so a definition of HC was needed to exclude methane emissions
$\overline{NO_2}$	Nitrogen Dioxide	Component of NOx emissions
NOV	Notice of Violation	Document issued by WDNR or EPA when determine a facility appears to be out of compliance with air regulations and sent to source to indicate what actions the agency expects from the facility
$\overline{NO_X}$	Nitrogen Oxides	Criteria pollutant
NR	DNR's Northern Region	DNR Service Area includes counties: Ashland, Barron, Bayfield, Burnett, Douglas, Forest, Florence, Iron, Langlade, Lincoln, Oneida, Polk, Price, Rusk, Sawyer, Taylor, Vilas, Washburn
NR 400 Series	Chapters NR 400-499, Wis. Adm. Code	Code series that contains air pollution rules for WI
NRB	Natural Resources Board	Board appointed by WI Governor and provides direction to and approves all regulations established by WDNR
NSPS	New Source Performance Standards	Standards established by EPA to require emissions reductions from specific processes when installed new
NSR (or)	New Source Review Nonattainment area Source Review	Review for issuance of permits to construction or modification of a source with air pollution, the nonattain-
$\overline{O_3}$	Ozone	ment area sources have more stringent requirements Criteria pollutant, not regulated as itself but through one of its precursors, VOCs (NOx is another, regulated); only ground-level ozone (a.k.a. smog) is regulated
OAQPS	Office of Air Quality Planning and Standards	Office in EPA that handles all the air pollution issues
P2	Pollution Prevention	Principle of emissions reductions by changing process (via raw materials, etc.) instead of via end of pipe controls
PCBs	Polychlorinated biphenyls	Very hazardous substance banned from any new uses but still around in old equipment
PD	Preliminary Determination	Section of permit documentation WDNR writes to support decisions made in review of application
PM ₁₀	Particulate Matter < 10 microns	Criteria pollutant
PM _{2.5}	Fine Particulate Matter (<2.5 microns)	Particulate matter size newly regulated by EPA
PSD	Prevention of Significant Deterioration	Permit program established by EPA to ensure areas in attainment of NAAQS stay that way by requiring controls on large sources
PTE	Potential to Emit	Emission rate from facility where reductions from MTE that are enforceable (through a permit) can be taken into account (i.e., limits on hours of operations, raw material used, or straight cap on emissions)
RACT	Reasonably Available Control Technology	Industry specific technology based regulations established by WI to reduce emissions from those industries
RfC	Reference Concentration	Levels established by EPA and used by WDNR to include specific HAPs in state HAP rule
RfG	Reformulated Gas	Requirement for areas nonattainment for ozone to reduce emissions from vehicles, MTBE and ethanol mixes

Acronym	Full Phrase or Name	Brief Description
RMP	Risk Management Plan	Required under s. 112(r) of CAA, to notify public (via
		LEPC) of potential risks in their area
ROG	Reactive Organic Gas(es)	Term used to define organic compounds considered
		sufficiently reactive to form ozone in atmosphere
ROP	Registration Operation Permit	Generic permit written for any source that can cap
		emissions at 25% of the major source levels
RVP	Reid Vapor Pressure	Measure of organic compounds to indicate volatility
SCC	Source Category Code	Code used to define specific processes at emissions
		source and to track emissions factors assigned to that
		process, and even specific materials used at the process
SCFM	Standard Cubic Feet per Minute	Airflow at "standard" temperature and pressure, usually
		set at 70°F and 1 atm
SCR	Selective Catalytic Reduction	Control option for NOx reduction
OR	DNR's South Central Region	DNR Service Area includes counties: Columbia,
		Crawford, Dane, Dodge, Grant, Green, Iowa, Jefferson,
		Lafayette, Richland, Rock, Sauk
SER	DNR's Southeast Region	DNR Service Area includes counties: Kenosha,
		Milwaukee, Ozaukee, Racine, Sheboygan, Walworth,
		Washington, Waukesha
SIC	Standard Industrial Classification	A nationally recognized set of codes used to define types
		of business activities
SIP	State Implementation Plan	Plan developed by states and approved by EPA to spell
		out how state will implement authority given by EPA
SO ₂	Sulfur Dioxide	Criteria pollutant
SOP	State-only Operation Permit	Permit issued to those considered minor sources
TLV	Threshold Limit Values	Rates established by ACGIH for hazardous compounds
		and used in state HAP rule to set thresholds
TOC	Total Organic Carbon	Measure of organic compounds that includes methane
		and other compounds not included in VOC definition
TPD	Tons per Day	Units for emission rates
TPY	Tons per Year	Units for emission rates
TSP	Total Suspended Particulates	Particulate matter of all sizes that can be suspended in
		an airstream (approx. <100µm size)
VMT	Vehicle Miles Traveled	Unit of measure used for rules related to vehicular
• • • • • • • • • • • • • • • • • • • •		emissions
VOC	Volatile Organic Compounds	Regulated as precursor to ozone, a criteria pollutant; list
	- •	of compounds in NR 400 defined as non-VOCs based
		on reactivity to form ozone
WCR	DNR's West Central Region	DNR Service Area includes counties: Adams, Buffalo,
	•	Chippewa, Clark, Dunn, Eau Claire, Jackson, La Crosse,
		Marathon, Monroe, Pepin, Pierce, Portage, St. Croix,
		Tremeleau, Vernon.

Contacts for More Information or Assistance.

The Small Business Clean Air Assistance Program helps smaller businesses understand and comply with the Clean Air Act regulations. Contact the program's Clean Air Specialists for more assistance: Renée Lesjak Bashel at 608-264-6153, Tom Coogan at 608-267-9214, or Jean Beckwith at 608-261-2517.



For further information on air pollution terminology, locate the appropriate contact at DNR by location or name at http://dnr.wi.gov/org/aw/air/staff/AMstaffdir.pdf or by topic at http://dnr.wi.gov/org/aw/air/staff/AMsubjects.pdf. You will need Adobe Reader to view these documents.